

10/073,851

M.B.

Refine Search

Search Results -

10/28/05

Term	Documents
(23 AND 24).PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD.	12
(L23 AND L24).PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD.	12

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L25

Refine Search

Recall Text

Clear

Interrupt

Search History

DATE: Tuesday, October 25, 2005 [Printable Copy](#) [Create Case](#)

Set Name Query
 side by side

Hit Count Set Name
 result set

DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ

<u>L25</u>	l23 and L24	12	<u>L25</u>
<u>L24</u>	virtual machine\$1	10655	<u>L24</u>
<u>L23</u>	l21 and L22	13	<u>L23</u>
<u>L22</u>	java and native interface\$1	584	<u>L22</u>
<u>L21</u>	platform independent and native and code\$1 and shar\$ memor\$	162	<u>L21</u>
<u>L20</u>	safe language near1 code\$1	1	<u>L20</u>
<u>L19</u>	shar\$ memor\$ and native code\$1 and safe code\$1	1	<u>L19</u>
<u>L18</u>	shar\$ memor\$ and native code\$1 and safe code41	0	<u>L18</u>
<u>L17</u>	native code\$1 and safe code\$1 and shar\$ memory	1	<u>L17</u>
<u>L16</u>	l10 and L9	0	<u>L16</u>
<u>L15</u>	l10 and L14	0	<u>L15</u>
<u>L14</u>	allocating near3 address range	29	<u>L14</u>
<u>L13</u>	allocating adj l1	5	<u>L13</u>

<u>L12</u>	native language and safe language	1	<u>L12</u>
<i>DB=USPT; PLUR=YES; OP=ADJ</i>			
<u>L11</u>	l9 and L10	0	<u>L11</u>
<u>L10</u>	native language\$1	851	<u>L10</u>
<u>L9</u>	safe language\$1	41	<u>L9</u>
<u>L8</u>	native language adj code\$1	15	<u>L8</u>
<u>L7</u>	safe language adj code\$1	0	<u>L7</u>
<u>L6</u>	native language and safe language	0	<u>L6</u>
<u>L5</u>	native language and safe language and java	0	<u>L5</u>
<u>L4</u>	native language and safe language ad java	0	<u>L4</u>
<u>L3</u>	l1 and L2	930	<u>L3</u>
<u>L2</u>	shar\$ adj memory	9573	<u>L2</u>
<u>L1</u>	address range	6767	<u>L1</u>

END OF SEARCH HISTORY


[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

 Search: ☒ The ACM Digital Library ☐ The Guide



THE ACM DIGITAL LIBRARY


[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

Terms used

native code and platform independent and shared memory

Found 53,492 of 164,603

Sort results by


[Save results to a Binder](#)
[Try an Advanced Search](#)

Display results


[Search Tips](#)
[Try this search in The ACM Guide](#)
☐ Open results in a new window

Results 1 - 20 of 200

Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

Best 200 shown

Relevance scale ☐ ☐ ☐ ☐ ☐

1 [CRL: high-performance all-software distributed shared memory](#)



K. L. Johnson, M. F. Kaashoek, D. A. Wallach

 December 1995 **ACM SIGOPS Operating Systems Review , Proceedings of the fifteenth ACM symposium on Operating systems principles**, Volume 29 Issue 5

Publisher: ACM Press , ACM Press

Full text available: [pdf\(2.02 MB\)](#) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

2 [Fast detection of communication patterns in distributed executions](#)



Thomas Kunz, Michiel F. H. Seuren

 November 1997 **Proceedings of the 1997 conference of the Centre for Advanced Studies on Collaborative research**

Publisher: IBM Press

Full text available: [pdf\(4.21 MB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Understanding distributed applications is a tedious and difficult task. Visualizations based on process-time diagrams are often used to obtain a better understanding of the execution of the application. The visualization tool we use is Poet, an event tracer developed at the University of Waterloo. However, these diagrams are often very complex and do not provide the user with the desired overview of the application. In our experience, such tools display repeated occurrences of non-trivial commun ...

3 [Process migration](#)

September 2000 **ACM Computing Surveys (CSUR)**, Volume 32 Issue 3

Publisher: ACM Press

Full text available: [pdf\(1.24 MB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)

Process migration is the act of transferring a process between two machines. It enables dynamic load distribution, fault resilience, eased system administration, and data access locality. Despite these goals and ongoing research efforts, migration has not achieved widespread use. With the increasing deployment of distributed systems in general, and distributed operating systems in particular, process migration is again receiving more attention in both research and product development. As hi ...

Keywords: distributed operating systems, distributed systems, load distribution, process migration


4 Portable resource control in Java



Walter Binder, Jane G. Hulaas, Alex Villazón

October 2001 **ACM SIGPLAN Notices , Proceedings of the 16th ACM SIGPLAN conference on Object oriented programming, systems, languages, and applications**, Volume 36 Issue 11

Publisher: ACM Press , ACM Press

Full text available:  [pdf\(307.08 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Preventing abusive resource consumption is indispensable for all kinds of systems that execute untrusted mobile code, such as mobile object systems, extensible web servers, and web browsers. To implement the required defense mechanisms, some support for resource control must be available: accounting and limiting the usage of physical resources like CPU and memory, and of logical resources like threads. Java is the predominant implementation language for the kind of systems envisaged here, even though ...

Keywords: Java, bytecode rewriting, micro-kernels, mobile object systems, resource control, security

5 Memory access and virtualization techniques for performance: Enabling unrestricted automated synthesis of portable hardware accelerators for virtual machines



Miljan Vuletić, Christophe Dubach, Laura Pozzi, Paolo Ienne

September 2005 **Proceedings of the 3rd IEEE/ACM/IFIP international conference on Hardware/software codesign and system synthesis CODES+ISSS '05**

Publisher: ACM Press

Full text available:  [pdf\(167.52 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

The performance of virtual machines (e.g., *Java Virtual Machines*---JVMs) can be significantly improved when critical code sections (e.g., *Java bytecode* methods) are migrated from software to reconfigurable hardware. In contrast to the compile-once-run-anywhere concept of virtual machines, reconfigurable applications lack portability and transparent SW/HW interfacing: applicability of accelerated hardware solutions is often limited to a single platform. In this work, we apply a virt ...

Keywords: accelerator, synthesis, virtual machine


6 Multitasking without compromise: a virtual machine evolution



Grzegorz Czajkowski, Laurent Daynés

October 2001 **ACM SIGPLAN Notices , Proceedings of the 16th ACM SIGPLAN conference on Object oriented programming, systems, languages, and applications**, Volume 36 Issue 11

Publisher: ACM Press , ACM Press

Full text available:  [pdf\(220.97 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

The multitasking virtual machine (called from now on simply MVM) is a modification of the Java virtual machine. It enables safe, secure, and scalable multitasking. Safety is achieved by strict isolation of application from one another. Resource control augments security by preventing some denial-of-service attacks. Improved scalability results from an aggressive application of the main design principle of MVM: share as much of the runtime as possible among applications and replicate everything else ...


Keywords: Java virtual machine, application isolation, native code execution, resource control

7 Techniques for obtaining high performance in Java programs



 Iffat H. Kazi, Howard H. Chen, Berdenia Stanley, David J. Lilja
September 2000 **ACM Computing Surveys (CSUR)**, Volume 32 Issue 3

Publisher: ACM Press


Full text available:  [pdf\(816.13 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

This survey describes research directions in techniques to improve the performance of programs written in the Java programming language. The standard technique for Java execution is interpretation, which provides for extensive portability of programs. A Java interpreter dynamically executes Java bytecodes, which comprise the instruction set of the Java Virtual Machine (JVM). Execution time performance of Java programs can be improved through compilation, possibly at the expense of portability ...


Keywords: Java, Java virtual machine, bytecode-to-source translators, direct compilers, dynamic compilation, interpreters, just-in-time compilers

8 ARMI: an adaptive, platform independent communication library



 Steven Saunders, Lawrence Rauchwerger
June 2003 **ACM SIGPLAN Notices , Proceedings of the ninth ACM SIGPLAN symposium on Principles and practice of parallel programming**, Volume 38 Issue 10

Publisher: ACM Press , ACM Press

Full text available:  [pdf\(242.64 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

ARMI is a communication library that provides a framework for expressing fine-grain parallelism and mapping it to a particular machine using shared-memory and message passing library calls. The library is an advanced implementation of the RMI protocol and handles low-level details such as scheduling incoming communication and aggregating outgoing communication to coarsen parallelism when necessary. These details can be tuned for different platforms to allow user codes to achieve the highest performance ...



Keywords: MPI, OpenMP, Pthreads, RMI, RPC, communication library, parallel programming, run-time system

9 Performance of hybrid message-passing and shared-memory parallelism for discrete element modeling



D. S. Henty
November 2000 **Proceedings of the 2000 ACM/IEEE conference on Supercomputing (CDROM)**

Publisher: IEEE Computer Society

Full text available:  [pdf\(197.99 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)
 [Publisher Site](#)

The current trend in HPC hardware is towards clusters of shared-memory (SMP) compute nodes. For applications developers the major question is how best to program these SMP clusters. To address this we study an algorithm from Discrete Element Modeling, parallelized using both the message-passing and shared-memory models simultaneously ("hybrid" parallelization). The natural load-balancing methods are different in the two parallel models, the shared-memory method being in principle ...

10 A framework for efficient reuse of binary code in Java

Pramod G. Joisha, Samuel P. Midkiff, Mauricio J. Serrano, Manish Gupta

June 2001 **Proceedings of the 15th international conference on Supercomputing****Publisher:** ACM PressFull text available: pdf(419.49 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

This paper presents a compilation framework that enables efficient sharing of executable code across distinct Java Virtual Machine (JVM) instances. High-performance JVMs rely on run-time compilation, since static compilation cannot handle many dynamic features of Java. These JVMs suffer from large memory footprints and high startup costs, which are serious problems for embedded devices (such as hand held personal digital assistants and cellular phones) and scalable servers. A recently propose ...

11 Application-level checkpointing for shared memory programs

Greg Bronevetsky, Daniel Marques, Keshav Pingali, Peter Szwed, Martin Schulz

October 2004 **Proceedings of the 11th international conference on Architectural support for programming languages and operating systems**, Volume 32 , 38 , 39 Issue 5 , 5 , 11**Publisher:** ACM Press , ACM Press , ACM Press , ACM PressFull text available: pdf(235.77 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Trends in high-performance computing are making it necessary for long-running applications to tolerate hardware faults. The most commonly used approach is checkpoint and restart (CPR) - the state of the computation is saved periodically on disk, and when a failure occurs, the computation is restarted from the last saved state. At present, it is the responsibility of the programmer to instrument applications for CPR. Our group is investigating the use of compiler technology to instrument codes to ...

Keywords: checkpointing, fault-tolerance, openMP, shared-memory programs**12** Supercomputers: Evaluating support for global address space languages on the Cray X1

Christian Bell, Wei-Yu Chen, Dan Bonachea, Katherine Yelick

June 2004 **Proceedings of the 18th annual international conference on Supercomputing****Publisher:** ACM PressFull text available: pdf(265.56 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

The Cray X1 was recently introduced as the first in a new line of parallel systems to combine high-bandwidth vector processing with an MPP system architecture. Alongside capabilities such as automatic fine-grained data parallelism through the use of vector instructions, the X1 offers hardware support for a transparent global-address space (GAS), which makes it an interesting target for GAS languages. In this paper, we describe our experience with developing a portable, open-source and high perfo ...

Keywords: UPC, X1, global address space**13** Multigrain shared memory

Donald Yeung, John Kubiawicz, Anant Agarwal

May 2000 **ACM Transactions on Computer Systems (TOCS)**, Volume 18 Issue 2**Publisher:** ACM PressFull text available: pdf(369.18 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#), [review](#)

Parallel workstations, each comprising tens of processors based on shared memory,

promise cost-effective scalable multiprocessing. This article explores the coupling of such small- to medium-scale shared-memory multiprocessors through software over a local area network to synthesize larger shared-memory systems. We call these systems Distributed Shared-memory MultiProcessors (DSMPs). This article introduces the design of a shared-memory system that uses multiple granularities of sharing, ca ...

Keywords: distributed memory, symmetric multiprocessors, system of systems


14 Sharing and protection in a single-address-space operating system



Jeffrey S. Chase, Henry M. Levy, Michael J. Feeley, Edward D. Lazowska

November 1994 **ACM Transactions on Computer Systems (TOCS)**, Volume 12 Issue 4

Publisher: ACM Press

Full text available:  pdf(2.87 MB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

This article explores memory sharing and protection support in Opal, a single-address-space operating system designed for wide-address (64-bit) architectures. Opal threads execute within protection domains in a single shared virtual address space. Sharing is simplified, because addresses are context independent. There is no loss of protection, because addressability and access are independent; the right to access a segment is determined by the protection domain in which a thread executes. T ...

Keywords: 64-bit architectures, capability-based systems, microkernel operating systems, object-oriented database systems, persistent storage, protection, single-address-space operating systems, wide-address architectures

15 Using generative design patterns to generate parallel code for a distributed memory environment



Kai Tan, Duane Szafron, Jonathan Schaeffer, John Anvik, Steve MacDonald

June 2003 **ACM SIGPLAN Notices , Proceedings of the ninth ACM SIGPLAN symposium on Principles and practice of parallel programming**, Volume 38 Issue 10

Publisher: ACM Press , ACM Press

Full text available:  pdf(385.41 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

A design pattern is a mechanism for encapsulating the knowledge of experienced designers into a re-usable artifact. Parallel design patterns reflect commonly occurring parallel communication and synchronization structures. Our tools, CO2P3S (Correct Object-Oriented Pattern-based Parallel Programming System) and MetaCO2P3S, use *generative design patterns*. A programmer selects the parallel design patterns that are appropriate for an application, and then adapts the patterns for that specifi ...

Keywords: design patterns, frameworks, parallel programming, programming tools


16 Program transformation and runtime support for threaded MPI execution on shared-memory machines



Hong Tang, Kai Shen, Tao Yang

July 2000 **ACM Transactions on Programming Languages and Systems (TOPLAS)**, Volume 22 Issue 4

Publisher: ACM Press

Full text available:  pdf(352.21 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Parallel programs written in MPI have been widely used for developing high-performance

applications on various platforms. Because of a restriction of the MPI computation model, conventional MPI implementations on shared-memory machines map each MPI node to an OS process, which can suffer serious performance degradation in the presence of multiprogramming. This paper studies compile-time and runtime techniques for enhancing performance portability of MPI code running on multiprogrammed share ...

Keywords: MPI, lock-free synchronization, multiprogrammed environments, program transformation, shared-memory machines, threaded execution

17 Source-level global optimizations for fine-grain distributed shared memory systems



R. Veldema, R. F. H. Hofman, R. A. F. Bhoedjang, C. J. H. Jacobs, H. E. Bal

June 2001 **ACM SIGPLAN Notices , Proceedings of the eighth ACM SIGPLAN symposium on Principles and practices of parallel programming**, Volume 36 Issue 7

Publisher: ACM Press , ACM Press

Full text available: pdf(112.60 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

This paper describes and evaluates the use of aggressive static analysis in Jackal, a fine-grain Distributed Shared Memory (DSM) system for Java. Jackal uses an optimizing, source-level compiler rather than the binary rewriting techniques employed by most other fine-grain DSM systems. Source-level analysis makes existing access-check optimizations (e.g., access-check batching) more effective and enables two novel fine-grain DSM optimizations: object-graph aggregatio ...

18 Towards transparent and efficient software distributed shared memory



Daniel J. Scales, Kourosh Gharachorloo

October 1997 **ACM SIGOPS Operating Systems Review , Proceedings of the sixteenth ACM symposium on Operating systems principles**, Volume 31 Issue 5

Publisher: ACM Press , ACM Press

Full text available: pdf(2.34 MB) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

19 The effectiveness of affinity-based scheduling in multiprocessor network protocol processing (extended version)



James D. Salehi, James F. Kurose, Don Towsley

August 1996 **IEEE/ACM Transactions on Networking (TON)**, Volume 4 Issue 4

Publisher: IEEE Press

Full text available: pdf(1.71 MB) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

20 Object and native code thread mobility among heterogeneous computers (includes sources)



B. Steensgaard, E. Jul





December 1995 **ACM SIGOPS Operating Systems Review , Proceedings of the fifteenth ACM symposium on Operating systems principles**, Volume 29 Issue 5

Publisher: ACM Press , ACM Press

Full text available: pdf(1.50 MB) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2005 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads:  [Adobe Acrobat](#)  [QuickTime](#)  [Windows Media Player](#)  [Real Player](#)